

STN Columbus

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
 NEWS 2 "Ask CAS" for self-help around the clock
 NEWS 3 JUL 12 BEILSTEIN enhanced with new display and select options,
 resulting in a closer connection to BABS
 NEWS 4 AUG 02 IFIPAT/IFIUDB/IFICDB reloaded with new search and display
 fields
 NEWS 5 AUG 02 CAPLUS and CA patent records enhanced with European and Japan
 Patent Office Classifications
 NEWS 6 AUG 02 The Analysis Edition of STN Express with Discover!
 (Version 7.01 for Windows) now available
 NEWS 7 AUG 27 BIOCOMMERCE: Changes and enhancements to content coverage
 NEWS 8 AUG 27 BIOTECHABS/BIOTECHDS: Two new display fields added for legal
 status data from INPADOC
 NEWS 9 SEP 01 INPADOC: New family current-awareness alert (SDI) available
 NEWS 10 SEP 01 New pricing for the Save Answers for SciFinder Wizard within
 STN Express with Discover!
 NEWS 11 SEP 01 New display format, HITSTR, available in WPIDS/WPINDEX/WPIX
 NEWS 12 SEP 27 STANDARDS will no longer be available on STN
 NEWS 13 SEP 27 SWETSCAN will no longer be available on STN
 NEWS 14 OCT 28 KOREAPAT now available on STN

NEWS EXPRESS OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT
 MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
 AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004

NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS INTER General Internet Information
 NEWS LOGIN Welcome Banner and News Items
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
 specific topic.

All use of STN is subject to the provisions of the STN Customer
 agreement. Please note that this agreement limits use to scientific
 research. Use for software development or design or implementation
 of commercial gateways or other similar uses is prohibited and may
 result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 17:00:22 ON 29 OCT 2004

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 17:00:37 ON 29 OCT 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
 held by the publishers listed in the PUBLISHER (PB) field (available
 for records published or updated in Chemical Abstracts after December

STN Columbus

26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 29 Oct 2004 VOL 141 ISS 19
FILE LAST UPDATED: 28 Oct 2004 (20041028/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s fuel and (vitamin e or tocopherol)

340874 FUEL
154939 FUELS
389767 FUEL
(FUEL OR FUELS)
176528 VITAMIN
49415 VITAMINS
195026 VITAMIN
(VITAMIN OR VITAMINS)
1802584 E
28667 VITAMIN E
(VITAMIN(W)E)
27205 TOCOPHEROL
8044 TOCOPHEROLS
29454 TOCOPHEROL
(TOCOPHEROL OR TOCOPHEROLS)

L1 45 FUEL AND (VITAMIN E OR TOCOPHEROL)

=> s l1 and carotene

27960 CAROTENE
20157 CAROTENES
38399 CAROTENE
(CAROTENE OR CAROTENES)

L2 2 L1 AND CAROTENE

=> d l2 1-2 all

L2 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text

AN 2003:334695 CAPLUS
DN 138:336957
ED Entered STN: 02 May 2003
TI Corn oil processing and products comprising corn oil and corn meal
obtained from corn
IN Jakel, Neal T.; Kotowski, Doug; Ingvalson, Joel; Beaver, Michael J.;
Ulrich, James F.; Amore, Francis; Tupy, Michael J.; Fox, Eugene J.;
Patist, Alexander
PA Renessen, LLC, USA
SO U.S. Pat. Appl. Publ., 25 pp., Cont.-in-part of U.S. Ser. No. 927,836.
CODEN: USXXCO
DT Patent
LA English
IC ICM C11C001-00
ICS A21D002-00
NCL 554010000; 554020000; 426622000
CC 17-9 (Food and Feed Chemistry)
Section cross-reference(s): 18, 45, 51, 62
FAN.CNT 10

STN Columbus

	PATENT NO.		KIND	DATE	APPLICATION NO.	DATE
PI	US 2003083512		A1	20030501	US 2002-47725	20020115
	US 6610867		B2	20030826		
	US 2002193617		A1	20021219	US 2001-927836	20010810
	US 6648930		B2	20031118		
	US 2003224496		A1	20031204	US 2003-368521	20030218
PRAI	US 2000-637843		A2	20000810		
	US 2001-927836		A2	20010810		
	US 1999-249280		A2	19990211		
	US 2002-47725		A2	20020115		
CLASS						
	PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES			
	US 2003083512	ICM	C11C001-00			
		ICS	A21D002-00			
		NCL	554010000; 554020000; 426622000			
	US 2003083512	ECLA	A23D009/00; A23K001/18K; A23K001/18L2; A23K001/18N; A23K001/18S; A23L001/10M; A23L001/105B; A23L001/30C; C08B030/10; C08L099/00; C11B001/04; C11B001/10; C11B003/00B; C12P007/06; A23D009/007; A23K001/00B2; A23K001/14; A23K001/16G; A23K001/16L; A23K001/18			
	US 2002193617	ECLA	A23D009/00; C11B001/10; C11B003/00B; C12P007/06; A23D009/007; A23J001/14C2; A23K001/00B2; A23K001/04; A23K110/; A23K001/10C; A23K001/14; A23K001/16G; A23K001/16L; A23K001/18; A23K001/18K; A23K001/18L2; A23K001/18N; A23K001/18S; A23L001/10M; A23L001/30C; B02B001/00; C08B030/10; C08L099/00; C11B001/04; C11B001/06			
	US 2003224496	ECLA	A23D009/00; A23D009/007; A23J001/14C2; A23K001/00B2; A23K001/04; A23K001/10; A23K001/10C; A23K001/14; A23K; A23K001/16L; A23K001/18; A23K001/18K; A23K001/18L2; A23K001/18N; A23K001/18S; A23L001/10M; A23L001/105; A23L001/30C; B02B001/00; C08B030/10; C08L099/00; C11B001/04; C11B001/06; C11B001/10; C11B003/00B; C12P			
AB	Corn oil and corn meal obtained from corn are included in useful products. The corn oil is extd. from the corn to form the corn meal. The corn grain process generally includes the steps of cracking corn grain having a total oil content of from about 3% to 30% by wt. and extg. the corn oil from the cracked corn grain. The corn oil is useful for making nutritionally enhanced edible oil or cooking oil, lubricants, biodiesel, fuel , cosmetics and oil-based or oil-contg. chem. products. The extd. corn meal is useful for making enhanced animal feed rations, snack food, blended food products, cosmetics, and fermn. broth additive.					
ST	corn meal oil manuf feed food fuel cosmetic					
IT	Fats and Glyceridic oils, biological studies					
	RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses) (animal; corn oil processing and products comprising corn oil and corn meal obtained from corn)					
IT	Food (bars; corn oil processing and products comprising corn oil and corn meal obtained from corn)					
IT	Diesel fuel substitutes (biodiesel; corn oil processing and products comprising corn oil and corn meal obtained from corn)					
IT	Oryza sativa (bran; corn oil processing and products comprising corn oil and corn meal obtained from corn)					
IT	Bakery products Triticum aestivum (byproducts; corn oil processing and products comprising corn oil and corn meal obtained from corn)					

STN Columbus

- IT Solvent extraction
 - (continuous; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Food viscosity
 - (controls for; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Glutens
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn meal; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Acidity
 - Air
 - Antioxidants
 - Biodegradable materials
 - Bleaching
 - Bread
 - Breakfast cereal
 - Canola
 - Cottonseed
 - Crosslinking agents
 - Deodorization
 - Dietary fiber
 - Feed additives
 - Feeding experiment
 - Food additives
 - Food processing
 - Gallus domesticus
 - Glycine max
 - Helianthus annuus
 - Herb
 - Hordeum vulgare
 - Micelles
 - Nutrients
 - Pigments, biological
 - Rapeseed
 - Rapeseed
 - Solanum tuberosum
 - Sorghum bicolor
 - Spices
 - Thickening agents
 - Vinegar
 - Zea mays
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Aldehydes, biological studies
 - Anhydrides
 - Epoxides
 - RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Amino acids, biological studies
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Canola oil
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Carotenes, biological studies
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)

STN Columbus

- obtained from corn)
- IT Enzymes, biological studies
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Fats and Glyceridic oils, biological studies
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Lipids, biological studies
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Mineral elements, biological studies
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Olive oil
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Palm oil
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Proteins
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Safflower oil
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Soybean oil
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Sterols
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Sunflower oil
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT **Tocopherols**
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Vitamins
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Corn oil
RL: FFD (Food or feed use); IMF (Industrial manufacture); BIOL (Biological study); PREP (Preparation); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Flours and Meals
(corn; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Bos taurus

STN Columbus

- (dairy cattle; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Vitamins
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(fat-sol.; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Flours and Meals
(feather meal; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Aquaculture
Bos taurus
Equus caballus
Poultry
Sus scrofa domestica
(feed for; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Catfish
Tilapia
(feeding; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Zea mays
(flour and meal; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Binders
(for food; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Oryza sativa
(hulls; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Beverages
(low calorie; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Feather
(meal; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Bone meal
Meat
(meat-and-bone meal; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Triticum aestivum
(middlings; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Cooking
(oils for; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Seed
(oilseed, meal; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Flours and Meals
(oilseed; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Fats and Glyceridic oils, biological studies
Fats and Glyceridic oils, biological studies
RL: BUU (Biological use, unclassified); FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(partially hydrogenated; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Feed
(pet; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Food
(porridge; corn oil processing and products comprising corn oil and

STN Columbus

- corn meal obtained from corn)
- IT Bran
(rice; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Food
(snack; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Beverages
(sports; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Fats and Glyceridic oils, biological studies
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(stearins, oxy-; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Fuel oil
(substitutes; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Feed
(swine; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT 7440-37-1, Argon, biological studies 7727-37-9, Nitrogen, biological studies
RL: BUU (Biological use, unclassified); FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT 56-87-1, L-Lysine, biological studies 63-68-3, L-Methionine, biological studies 64-17-5, Ethanol, biological studies 67-63-0, Isopropyl alcohol, biological studies 73-22-3, L-Tryptophan, biological studies 77-92-9, Citric acid, biological studies 77-92-9D, Citric acid, monoglyceride derivs. 110-54-3, Hexane, biological studies 121-79-9, Propyl gallate 123-28-4, Dilauryl thiodipropionate 128-37-0, BHT, biological studies 137-66-6, Ascorbyl palmitate 458-37-7, Curcumin 994-36-5, Sodium citrate 1107-26-2, β -Apo-8'-carotenal 6829-55-6, Tocotrienol 7235-40-7, β -Carotene 7647-14-5, Sodium chloride, biological studies 7664-38-2, Phosphoric acid, biological studies 9000-90-2, α -Amylase 9001-92-7, Protease 9005-25-8, Starch, biological studies 9016-00-6, Dimethyl polysiloxane 9032-08-0, Glucoamylase 25013-16-5, BHA 25395-66-8, Ascorbyl stearate 39413-05-3, Isopropyl citrate
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT 1393-63-1, Annatto
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(ext.; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT 124-38-9, Carbon dioxide, biological studies
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(supercrit.; corn oil processing and products comprising corn oil and corn meal obtained from corn)

L2 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text

AN 1998:410640 CAPLUS

DN 129:86023

ED Entered STN: 04 Jul 1998

TI Aerosol containing vitamin A or a derivative thereof

IN Thoma, Karl; Rothenberger, Siegfried; Hein, Thomas

PA Hermes Fabrik Pharmazeutischer Praeparate Franz Gradinger G.m.b.H. Co., Germany

SO Eur. Pat. Appl., 7 pp.

STN Columbus

CODEN: EPXXDW
 DT Patent
 LA German
 IC ICM A61K009-12
 ICS A61K031-07
 CC 63-6 (Pharmaceuticals)
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 848949	A1	19980624	EP 1997-122419	19971218
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
	DE 19652790	A1	19980625	DE 1996-19652790	19961218
PRAI	DE 1996-19652790		19961218		

CLASS

	PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
	EP 848949	ICM	A61K009-12
		ICS	A61K031-07
AB	Vitamin A-contg. pharmaceutical aerosols for use on the respiratory tract mucosa are provided for treatment of disorders affecting the respiratory epithelium, e.g. neoplasms, metastases, squamous metaplasia, bronchitis, and newborn bronchopulmonary dysplasia. These compns. contain satd. hydrocarbons as solubilizers to improve the aerosolization of the active agent. At low concns., these hydrocarbons do not display the flammability, toxicity, and unpleasant flavor seen at higher concns. Thus, an aerosol prepn. contained retinol palmitate 1.10, DL- α -tocopherol 0.11, tetrafluoroethane 76.71, and isobutane 22.08 wt.%. ST vitamin A solubilizer hydrocarbon aerosol; inhalant retinol solubilizer isobutane IT Antitumor agents Propellants (fuels) Solubilizers (aerosol contg. vitamin A or deriv. thereof) IT Carotenes , biological studies Retinoids RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (aerosol contg. vitamin A or deriv. thereof) IT Hydrocarbons, biological studies RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (aerosol contg. vitamin A or deriv. thereof) IT Bronchi (bronchitis; aerosol contg. vitamin A or deriv. thereof) IT Newborn (bronchopulmonary dysplasia in; aerosol contg. vitamin A or deriv. thereof) IT Lung, disease (bronchopulmonary dysplasia, in newborn; aerosol contg. vitamin A or deriv. thereof) IT Bronchi Bronchi (carcinoma; aerosol contg. vitamin A or deriv. thereof) IT Respiratory tract (ciliated epithelium, disorder; aerosol contg. vitamin A or deriv. thereof) IT Epithelium (ciliated, respiratory tract, disorder; aerosol contg. vitamin A or deriv. thereof) IT Mucous membrane		

STN Columbus

Mucous membrane
(disease; aerosol contg. vitamin A or deriv. thereof)

IT Cell differentiation
(disorder, of tracheobronchial tract; aerosol contg. vitamin A or deriv. thereof)

IT Poisons, nonbiological source
(gaseous, tracheobronchial epithelium damage from; aerosol contg. vitamin A or deriv. thereof)

IT Drug delivery systems
(inhalants; aerosol contg. vitamin A or deriv. thereof)

IT Bronchi
Trachea (anatomical)
Trachea (anatomical)
(mucosa, disease; aerosol contg. vitamin A or deriv. thereof)

IT Respiratory tract
Respiratory tract
(mucosa; aerosol contg. vitamin A or deriv. thereof)

IT Gland
(mucous, disorder; aerosol contg. vitamin A or deriv. thereof)

IT Mucous membrane
Mucous membrane
(respiratory tract; aerosol contg. vitamin A or deriv. thereof)

IT Epithelium
(squamous, disease, metaplasia; aerosol contg. vitamin A or deriv. thereof)

IT Mucous membrane
Mucous membrane
(trachea, disease; aerosol contg. vitamin A or deriv. thereof)

IT Dust
(tracheobronchial epithelium damage from; aerosol contg. vitamin A or deriv. thereof)

IT 68-26-8, Retinol 68-26-8D, Retinol, esters 79-81-2, Retinol palmitate
302-79-4, Retinoic acid 302-79-4D, Retinoic acid, esters 7235-40-7,
 β -Carotene
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(aerosol contg. vitamin A or deriv. thereof)

IT 74-98-6, Propane, biological studies 75-28-5, Isobutane 106-97-8,
n-Butane, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(solubilizer; aerosol contg. vitamin A or deriv. thereof)

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Boehringer Ingelheim Int; WO 9111496 A CAPLUS

(2) Glaxo Group Ltd; WO 9311743 A CAPLUS

(3) Gradingher F Hermes Pharma; EP 0352412 A CAPLUS

=> s grain or fescue or clover or wheat or barley or oats or rye or sorghum or flax or tritica

273768 GRAIN

131456 GRAINS

352360 GRAIN
(GRAIN OR GRAINS)

3505 FESCUE

50 FESCUES

3514 FESCUE
(FESCUE OR FESCUES)

14319 CLOVER

501 CLOVERS

14442 CLOVER
(CLOVER OR CLOVERS)

STN Columbus

114091 WHEAT
 2769 WHEATS
 114186 WHEAT
 (WHEAT OR WHEATS)
 46763 BARLEY
 896 BARLEYS
 46815 BARLEY
 (BARLEY OR BARLEYS)
 13185 OATS
 15109 RYE
 62 RYES
 15120 RYE
 (RYE OR RYES)
 13119 SORGHUM
 343 SORGHUMS
 13147 SORGHUM
 (SORGHUM OR SORGHUMS)
 8663 FLAX
 17 FLAXES
 8668 FLAX
 (FLAX OR FLAXES)
 1923 TRITICALE
 126 TRITICALES
 1931 TRITICALE
 (TRITICALE OR TRITICALES)
 77622 RICE
 461 RICES
 77638 RICE
 (RICE OR RICES)
 4 TRITICALE RICE
 (TRITICALE(W)RICE)
 111199 CORN
 345 CORNS
 111319 CORN
 (CORN OR CORNS)
 442 SPELT
 70 SPELTS
 502 SPELT
 (SPELT OR SPELTS)
 5204 MILLET
 206 MILLETS
 5246 MILLET
 (MILLET OR MILLETS)
 2537 AMARANTH
 25 AMARANTHS
 2547 AMARANTH
 (AMARANTH OR AMARANTHS)
 3511 BUCKWHEAT
 12 BUCKWHEATS
 3513 BUCKWHEAT
 (BUCKWHEAT OR BUCKWHEATS)
 566 QUINOA
 1 QUINOAS
 567 QUINOA
 (QUINOA OR QUINOAS)
 10 KAMUT
 2335 TEFF
 9 TEFFS
 2339 TEFF
 (TEFF OR TEFFS)
 L3 609809 GRAIN OR FESCUE OR CLOVER OR WHEAT OR BARLEY OR OATS OR RYE OR
 SORGHUM OR FLAX OR TRITICALE RICE OR CORN OR SPELT OR MILLET OR

STN Columbus

AMARANTH OR BUCKWHEAT OR QUINOA OR KAMUT OR TEFF

=> 3 and (carotene or carotenoid or lycopene lutein or betatene)

3 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> s 13 and (carotene or carotenoid or lycopene lutein or betatene)

27960 CAROTENE

20157 CAROTENES

38399 CAROTENE

(CAROTENE OR CAROTENES)

17279 CAROTENOID

22985 CAROTENOIDS

27802 CAROTENOID

(CAROTENOID OR CAROTENOIDS)

4100 LYCOPENE

53 LYCOPENES

4110 LYCOPENE

(LYCOPENE OR LYCOPENES)

5027 LUTEIN

36 LUTEINS

5036 LUTEIN

(LUTEIN OR LUTEINS)

84 LYCOPENE LUTEIN

(LYCOPENE(W)LUTEIN)

13 BETATENE

L4 4094 L3 AND (CAROTENE OR CAROTENOID OR LYCOPENE LUTEIN OR BETATENE)

=> s 14 and (vegetable oil or meadowfoam or peanut or cottonseed or rapeseed or rape seed or m

74343 VEGETABLE

24529 VEGETABLES

85891 VEGETABLE

(VEGETABLE OR VEGETABLES)

688257 OIL

329781 OILS

775486 OIL

(OIL OR OILS)

18323 VEGETABLE OIL

(VEGETABLE(W)OIL)

162 MEADOWFOAM

20918 PEANUT

4944 PEANUTS

22197 PEANUT

(PEANUT OR PEANUTS)

16294 COTTONSEED

428 COTTONSEEDS

16373 COTTONSEED

(COTTONSEED OR COTTONSEEDS)

8261 RAPESEED

183 RAPESEEDS

8302 RAPESEED

(RAPESEED OR RAPESEEDS)

17950 RAPE

67 RAPES

17964 RAPE

(RAPE OR RAPES)

123220 SEED

86209 SEEDS

165907 SEED

(SEED OR SEEDS)

STN Columbus

2185 RAPE SEED
 (RAPE(W) SEED)
 651 MACADAMIA
 3 MACADAMIAS
 651 MACADAMIA
 (MACADAMIA OR MACADAMIAS)
 2573 AVOCADO
 343 AVOCADOS
 2629 AVOCADO
 (AVOCADO OR AVOCADOS)
 14682 PALM
 1143 PALMS
 15071 PALM
 (PALM OR PALMS)
 30243 CASTOR
 15 CASTORS
 30255 CASTOR
 (CASTOR OR CASTORS)
 L5 316 L4 AND (VEGETABLE OIL OR MEADOWFOAM OR PEANUT OR COTTONSEED OR
 RAPESEED OR RAPE SEED OR MACADAMIA OR AVOCADO OR PALM OR CASTOR)
 => s 15 and (thermal or heat?)
 954571 THERMAL
 66 THERMALS
 954600 THERMAL
 (THERMAL OR THERMALS)
 2156456 HEAT?
 L6 36 L5 AND (THERMAL OR HEAT?)
 => d 16 1-36 ti
 L6 ANSWER 1 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Production method for particles containing lipophilic compounds, and
 apparatus therefor
 L6 ANSWER 2 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Edible fat emulsions as food spreads.
 L6 ANSWER 3 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI β , β -Carotene and 2,2,4-trimethyl-6-ethoxy-1,2-dihydroquinoline
 mixtures as diesel fuel stabilizers and cetane improvers
 L6 ANSWER 4 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI A strong constitutive promoter from the parsley ubiquitin gene and its use
 in expression of foreign genes in plants
 L6 ANSWER 5 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Cosmetic compositions comprising silicone gels
 L6 ANSWER 6 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Cosmetic compositions comprising silicone gels comprising entrapped,
 occluded or encapsulated pigments
 L6 ANSWER 7 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Optothermal window method for on-line monitoring of decay kinetics of
 trans- β -carotene in thermally treated vegetable oils
 L6 ANSWER 8 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Purification and characterization of an autoclavable superoxide dismutase
 (SOD) isozyme from *Potentilla atrosanguinea*, and use of the SOD in
 cosmetic, food and pharmaceutical compositions

STN Columbus

- L6 ANSWER 9 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Fast quality screening of **vegetable oils** by HPLC-thermal lens spectrometric detection
- L6 ANSWER 10 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Process for producing **carotenoid** emulsion
- L6 ANSWER 11 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Ultrasensitive assays of trans- and cis- β -**carotenes** in **vegetable oils** by high-performance liquid chromatography-thermal lens detection
- L6 ANSWER 12 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Unsaponifiables-enriched **vegetable oil** as food ingredient
- L6 ANSWER 13 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Encapsulation of sensitive liquid components into a matrix to obtain discrete shelf-stable particles
- L6 ANSWER 14 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Nutrient intensified oil and its preparing process
- L6 ANSWER 15 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Diurnal changes of photooxidation response in leaves of C3 and C4 plants
- L6 ANSWER 16 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Effect of traditional processing practices on the content of total **carotenoid**, β -**carotene**, α -**carotene** and vitamin A activity of selected Tanzanian vegetables
- L6 ANSWER 17 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Detection of process components in food process streams by fluorescence
- L6 ANSWER 18 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Compositions containing water-soluble hemicellulose and natural resins
- L6 ANSWER 19 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI **Carotene** removal from **corn** meal
- L6 ANSWER 20 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Process of obtaining the sea buckthorn oil "aska-tesh"
- L6 ANSWER 21 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Cream cheese type food
- L6 ANSWER 22 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI **Rapeseed** meal in the diet of common carp reared in **heated** waters. V. **Carotenoids** in diets and fish tissues
- L6 ANSWER 23 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Low fat comestible spread
- L6 ANSWER 24 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Stable clear liquid release agent
- L6 ANSWER 25 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI The preparation of water-soluble powdered β -**carotene** and its preservation stability
- L6 ANSWER 26 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
TI Fixing lipophilic substances on starch, starch derivatives, or materials containing them

STN Columbus

L6 ANSWER 27 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Suitability of some Egyptian clays for bleaching **cottonseed** oil. III.
 Regeneration of spent clays

L6 ANSWER 28 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Margarine oil compositions

L6 ANSWER 29 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Preparation of **β -carotene**

L6 ANSWER 30 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Stabilized **carotene** composition

L6 ANSWER 31 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Synthesis of **carotene** homologs

L6 ANSWER 32 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI δ -Tocopherol. I. Isolation from soybean oil and properties

L6 ANSWER 33 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Chemical estimation of vitamin E in **vegetable oils**

L6 ANSWER 34 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Stabilizing **cottonseed** oil or other glyceridic oils against oxidative
 deterioration

L6 ANSWER 35 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Improving the quality of milk

L6 ANSWER 36 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Stabilizing fats and oils against rancidity

=> d l6 7 10 23 24 all

L6 ANSWER 7 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
Full Text

AN 2003:540724 CAPLUS
 DN 139:349781
 ED Entered STN: 15 Jul 2003
 TI Optothermal window method for on-line monitoring of decay kinetics of
 trans- **β -carotene** in thermally treated **vegetable oils**
 AU Ganguli, Otto; Bicanic, Dane; Bonifacic, Marija; Nicoli, Maria Cristina;
 Chirtoc, Mihai
 CS Agrotechnology and Food Sciences, Division of Biophysics, Laser Laboratory
 for Photoacoustic and Photothermal Research, Wageningen University and
 Research Centre, Wageningen, 6703 HA, Neth.
 SO European Food Research and Technology (2003), 217(1), 74-79
 CODEN: EFRTFO; ISSN: 1438-2377
 PB Springer-Verlag
 DT Journal
 LA English
 CC 17-1 (Food and Feed Chemistry)
 AB The optothermal window detection method at 488 nm was used to monitor
 online the concn. of trans- **β -carotene** that was added to several
vegetable oils after treating them at 200° in the presence of
 air for varying amts. of time. Results obtained for extra virgin oil show
 a direct proportionality between the rate const. describing the
 disappearance of trans- **β -carotene** and the duration of **thermal**
 treatment. The rate const. for the decay of trans- **β -carotene** in
 oils treated under identical conditions was also dependent on the type of
 oil. Trends and individual data are discussed in the light of a possible

STN Columbus

application of the method for the detn. of the oxidative stability of **vegetable oils**.

ST **vegetable oil carotene** optothermal window photoacoustic spectroscopy

IT Olive oil
 RL: AMX (Analytical matrix); ANST (Analytical study)
 (extra virgin; optothermal window method for online monitoring of decay kinetics of trans- β -**carotene** in thermally treated **vegetable oils**)

IT Photoacoustic spectroscopy
 Reaction kinetics
 (optothermal window method for online monitoring of decay kinetics of trans- β -**carotene** in thermally treated **vegetable oils**)

IT **Corn oil**
 Safflower oil
 Sunflower oil
 RL: AMX (Analytical matrix); ANST (Analytical study)
 (optothermal window method for online monitoring of decay kinetics of trans- β -**carotene** in thermally treated **vegetable oils**)

IT Fats and Glyceridic oils, analysis
 RL: AMX (Analytical matrix); ANST (Analytical study)
 (vegetable; optothermal window method for online monitoring of decay kinetics of trans- β -**carotene** in thermally treated **vegetable oils**)

IT 7235-40-7, β , β -**Carotene**
 RL: ANT (Analyte); ANST (Analytical study)
 (optothermal window method for online monitoring of decay kinetics of trans- β -**carotene** in thermally treated **vegetable oils**)

RE.CNT 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Bicanic, D; Appl Spectrosc 1995, V49, P1485 CAPLUS
- (2) Chen, B; J Agric Food Chem 1994, V42, P2391 CAPLUS
- (3) Doka, O; Anal Chem 2002, V74, P2157 CAPLUS
- (4) Halliwell, B; Crit Rev Food Sci 1995, V35, P7 CAPLUS
- (5) Helander, P; Meas Sci Technol 1993, V4, P178
- (6) Henry, L; J Am Oil Chem Soc 1998, V75, P823 CAPLUS
- (7) Labuza, T; J Am Oil Chem Soc 1969, V46, P409 CAPLUS
- (8) Loliger, J; J Sci Food Agric 1990, V52, P119
- (9) Matthaues, B; J Am Oil Chem Soc 1996, V73, P1039 CAPLUS
- (10) McQueen, D; Anal Chem 1995, V74, P482 CAPLUS
- (11) Minguez-Mosquera, M; J Sci Food Agric 1995, V67, P153
- (12) Pagano, T; Rev Ing Quim 1999, V15, P11
- (13) Pellegrini, N; J Agric Food Chem 2001, V49, P2532 CAPLUS
- (14) Steenson, D; J Am Oil Chem Soc 2000, V77, P153

L6 ANSWER 10 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text

AN 2002:556118 CAPLUS

DN 137:108618

ED Entered STN: 26 Jul 2002

TI Process for producing **carotenoid** emulsion

IN Mori, Toshiaki; Mimura, Satoshi; Nakatani, Tomonari

PA Kuraray Co., Ltd., Japan

SO U.S. Pat. Appl. Publ., 10 pp.
 CODEN: USXXCO

DT Patent

LA English

IC ICM C09K003-00

NCL 516073000

CC 17-4 (Food and Feed Chemistry)

STN Columbus

Section cross-reference(s): 63

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2002099102	A1	20020725	US 2002-52456	20020123
	US 6664300	B2	20031216		
	EP 1227082	A1	20020731	EP 2002-166	20020108
	EP 1227082	B1	20040616		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	AT 269301	E	20040715	AT 2002-166	20020108
	CN 1367167	A	20020904	CN 2002-100969	20020110
	JP 2002302479	A2	20021018	JP 2002-13194	20020122
	JP 2002316924	A2	20021031	JP 2002-13195	20020122
PRAI	JP 2001-15267	A	20010124		
	JP 2001-15274	A	20010124		

CLASS

	PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
	US 2002099102	ICM	C09K003-00
		NCL	516073000
	US 2002099102	ECLA	C07C175/00B
AB	Disclosed is a process for producing a carotenoid emulsion which comprises heating a suspension of the carotenoid in a high boiling org. liq., by passing the suspension through a conduit of 0.1 to 50 mm inside diam. heated to temp. at 120-700° for a residence time of 0.05 to 5 s or by mixing the suspension with a high boiling org. liq. heated to the range of 120 to 500° for a time of 0.05 to 10 s, to dissolve the carotenoid , and then immediately adding the resulting soln. into an aq. soln. of an emulsifier to emulsify the soln. By this prodn. process, an emulsion contg. a carotenoid as an effective ingredient can be produced with the carotenoid maintaining a high total trans-form proportion, with good productivity, conveniently, and industrially advantageously.		
ST	carotenoid emulsion prodn process		
IT	Fatty acids, biological studies		
	RL: FFD (Food or feed use); MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)		
	(C16-18, esters with sucrose, emulsifiers; process for producing carotenoid emulsion)		
IT	Fatty acids, biological studies		
	RL: FFD (Food or feed use); MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)		
	(C8-14, esters with sucrose, emulsifiers; process for producing carotenoid emulsion)		
IT	Fatty acids, biological studies		
	RL: FFD (Food or feed use); MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)		
	(castor-oil, esters with sorbitan, emulsifiers; process for producing carotenoid emulsion)		
IT	Alkali metal compounds		
	RL: FFD (Food or feed use); MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)		
	(emulsifiers; process for producing carotenoid emulsion)		
IT	Fatty acids, biological studies		
	RL: FFD (Food or feed use); MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)		

STN Columbus

(esters, emulsifiers, of ascorbic acid and sorbitan; process for producing **carotenoid** emulsion)

IT **Corn oil**
 Diglycerides
 Edible oils
 Glycerides, biological studies
 Monoglycerides
 Paraffin oils
 Terpenes, biological studies
 RL: FFD (Food or feed use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
 (high boiling org. liq.; process for producing **carotenoid** emulsion)

IT **Antioxidants**
 Emulsifying agents
 Emulsions
 (process for producing **carotenoid** emulsion)

IT **Carotenes**, biological studies
 RL: FFD (Food or feed use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
 (process for producing **carotenoid** emulsion)

IT **Fatty acids**, biological studies
 RL: FFD (Food or feed use); MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
 (tall-oil, esters with sorbitan, emulsifiers; process for producing **carotenoid** emulsion)

IT 137-66-6, Ascorbic acid palmitate 1310-73-2, Sodium hydroxide, biological studies
 RL: FFD (Food or feed use); MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
 (emulsifiers; process for producing **carotenoid** emulsion)

IT 25496-72-4, Monoolein
 RL: FFD (Food or feed use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
 (high boiling org. liq.; process for producing **carotenoid** emulsion)

IT 472-61-7, Astaxanthin 472-70-8, Cryptoxanthin 514-78-3, Canthaxanthin 3604-90-8, Citranaxanthin 7235-40-7, **β -Carotene** 12676-20-9, Apocarotenal
 RL: FFD (Food or feed use); PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
 (process for producing **carotenoid** emulsion)

L6 ANSWER 23 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN
Full Text
 AN 1982:508798 CAPLUS
 DN 97:108798
 ED Entered STN: 12 May 1984
 TI Low fat comestible spread
 IN Miller, Donald E.; Werstak, Charles E.
 PA SCM Corp. , USA
 SO Eur. Pat. Appl., 21 pp.
 CODEN: EPXXDW
 DT Patent
 LA English
 IC A23D003-00; A23L001-24; A23C020-00

STN Columbus

CC 17-9 (Food and Feed Chemistry)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 49705	A1	19820421	EP 1980-106140	19801009
	R: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
PRAI	EP 1980-106140		19801009		

CLASS

	PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES		
	EP 49705	IC	A23D003-00IC	A23L001-24IC	A23C020-00
AB	An oil-in-water emulsion suitable for use in the prodn. of low-fat analogs of margarine, mayonnaise, or cheese is prepd. from an emulsifier; a thickening agent, a fat with a Wiley m.p. of 24-41° and a solid fat index at 35.5° of ≤20 and at 37.5° essentially zero, and optionally flavoring and coloring agents. Thus, water (68.31%) was mixed with Methocel K-100M (hydroxypropylmethyl cellulose) [9004-65-3] (0.5%), Avicel RC 581 (cellulose prepn.) [51395-75-6] (0.5%), and β-carotene (0.09%) with heat; Dur-em 114 emulsifier (monoglycerides) (4.0%), dewaxed corn oil (11.25%), hydrogenated cottonseed-soybean oil (13.75%), and artificial butter flavor (0.1%) were added; the material was homogenized at 1000-2000 psig; salt was added; and the emulsion was cooled, yielding a margarine-like product.				
ST	emulsion food fat; margarine fat low emulsion; cheese substitute emulsion; mayonnaise substitute emulsion				
IT	Soybean oil				
	RL: BIOL (Biological study)				
	(cottonseed oil mixt. with, hydrogenated, food fat-low emulsion contg.)				
IT	Butter substitutes				
	Cheese substitutes				
	Margarine				
	(fat-low, emulsion for)				
IT	Corn oil				
	RL: BIOL (Biological study)				
	(food fat-low emulsion contg.)				
IT	Cottonseed oil				
	RL: BIOL (Biological study)				
	(soybean oil mixt. with, hydrogenated, food fat-low emulsion contg.)				
IT	Mayonnaise				
	(substitutes, fat-low, emulsion for)				
IT	Food				
	(emulsions, fat-low, manuf. of)				
IT	Glycerides, biological studies				
	RL: BIOL (Biological study)				
	(mono-, in food fat-low emulsion manuf.)				
IT	9004-32-4	9004-65-3	51395-75-6		
	RL: BIOL (Biological study)				
	(in food fat-low emulsion manuf.)				
IT	9004-34-6, biological studies				
	RL: BIOL (Biological study)				
	(microcryst., in food fat-low emulsion manuf.)				

L6 ANSWER 24 OF 36 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text

AN 1980:406377 CAPLUS
 DN 93:6377
 ED Entered STN: 12 May 1984
 TI Stable clear liquid release agent
 IN Hanson, Harold W., Sr.
 PA Par-Way Mfg. Co., USA
 SO U.S., 4 pp. Cont.-in-part of U.S. Ser. No. 532,850. abandoned.

STN Columbus

CODEN: USXXAM
 DT Patent
 LA English
 IC A23D005-00
 NCL 426250000
 CC 17-2 (Foods)
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 4192898	A	19800311	US 1978-916116	19780616
	US 4096258	A	19780620	US 1977-772929	19770228
PRAI	US 1974-532850		19741216		
	US 1975-621309		19751010		
	US 1977-772929		19770228		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
US 4192898	IC	A23D005-00
	NCL	426250000

AB A stable clear pan release agent consists of 0.25-2% by wt. Polysorbate 80 [9005-65-6] in a mixt. of 2 or more oils, the major oil being liq. at room temp., and the minor one being solid at room temp. The oils are agitated at -74°, rapidly chilled and worked to at least 25°; worked at that temp., and combined with CO2 propellant to yield an aerosol product. Thus, about half of 2675 lb soybean oil and 1784 lb coconut oil were **heated** and mixed to 70°, the immersion **heaters** were cut off, 240 lb double-bleached lecithin was mixed in for 10 min, the balance of the soybean and coconut oils was added followed by 36.9 lb Polysorbate 80, 2.4 lb BEX butter deriv., and 3.8 or β -**carotene**. The batch was mixed for 3 min, cooled to -60°, and passed through a 2-stage homogenizer (1000 and 3500 psi, resp.), and cooled to -38°. The blend was agitated rapidly in a Votator while chilling to -21°, and then worked with a high-speed paddle mixer. The product was clear and brilliant.

ST pan release agent; cooking utensil release agent

IT Coconut oil
 Corn oil
 Cottonseed oil
 Lecithins, biological studies
 Peanut oil
 Soybean oil
 RL: BIOL (Biological study)
 (of cooking utensil release agents)

IT Oils
 RL: BIOL (Biological study)
 (**palm** kernel, of cooking utensil release agents)

IT Oils
 RL: BIOL (Biological study)
 (**palm**, of cooking utensil release agents)

IT Cooking utensils
 (release agents for)

IT 637-12-7 9005-65-6
 RL: BIOL (Biological study)
 (of cooking utensil release agents)

IT 124-38-9, uses and miscellaneous
 RL: USES (Uses)
 (propellant, for aerosol cooking utensil release agents)

=> d his

(FILE 'HOME' ENTERED AT 17:00:22 ON 29 OCT 2004)

STN Columbus

FILE 'CAPLUS' ENTERED AT 17:00:37 ON 29 OCT 2004

L1 45 S FUEL AND (VITAMIN E OR TOCOPHEROL)
 L2 2 S L1 AND CAROTENE
 L3 609809 S GRAIN OR FESCUE OR CLOVER OR WHEAT OR BARLEY OR OATS OR RYE O
 L4 4094 S L3 AND (CAROTENE OR CAROTENOID OR LYCOPENE LUTEIN OR BETATENE
 L5 316 S L4 AND (VEGETABLE OIL OR MEADOWFOAM OR PEANUT OR COTTONSEED O
 L6 36 S L5 AND (THERMAL OR HEAT?)

=> s 15 and (vitamin e or tocopherol)

176528 VITAMIN
 49415 VITAMINS
 195026 VITAMIN
 (VITAMIN OR VITAMINS)

1802584 E
 28667 VITAMIN E
 (VITAMIN(W)E)
 27205 TOCOPHEROL
 8044 TOCOPHEROLS
 29454 TOCOPHEROL

(TOCOPHEROL OR TOCOPHEROLS)

L7 107 L5 AND (VITAMIN E OR TOCOPHEROL)

=> s 17 and diesel

40979 DIESEL
 423 DIESELS
 41029 DIESEL
 (DIESEL OR DIESELS)

L8 1 L7 AND DIESEL

=> d 18 all

L8 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text

AN 2003:334695 CAPLUS
 DN 138:336957
 ED Entered STN: 02 May 2003
 TI Corn oil processing and products comprising corn oil and corn meal
 obtained from corn
 IN Jakel, Neal T.; Kotowski, Doug; Ingvalson, Joel; Beaver, Michael J.;
 Ulrich, James F.; Amore, Francis; Tupy, Michael J.; Fox, Eugene J.;
 Patist, Alexander
 PA Renessen, LLC, USA
 SO U.S. Pat. Appl. Publ., 25 pp., Cont.-in-part of U.S. Ser. No. 927,836.
 CODEN: USXXCO
 DT Patent
 LA English
 IC ICM C11C001-00
 ICS A21D002-00
 NCL 554010000; 554020000; 426622000
 CC 17-9 (Food and Feed Chemistry)
 Section cross-reference(s): 18, 45, 51, 62

FAN.CNT 10

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2003083512	A1	20030501	US 2002-47725	20020115
	US 6610867	B2	20030826		
	US 2002193617	A1	20021219	US 2001-927836	20010810
	US 6648930	B2	20031118		
	US 2003224496	A1	20031204	US 2003-368521	20030218
PRAI	US 2000-637843	A2	20000810		
	US 2001-927836	A2	20010810		

STN Columbus

US 1999-249280	A2	19990211
US 2002-47725	A2	20020115

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
US 2003083512	ICM	C11C001-00
	ICS	A21D002-00
	NCL	554010000; 554020000; 426622000
US 2003083512	ECLA	A23D009/00; A23K001/18K; A23K001/18L2; A23K001/18N; A23K001/18S; A23L001/10M; A23L001/105B; A23L001/30C; C08B030/10; C08L099/00; C11B001/04; C11B001/10; C11B003/00B; C12P007/06; A23D009/007; A23K001/00B2; A23K001/14; A23K001/16G; A23K001/16L; A23K001/18
US 2002193617	ECLA	A23D009/00; C11B001/10; C11B003/00B; C12P007/06; A23D009/007; A23J001/14C2; A23K001/00B2; A23K001/04; A23K110/; A23K001/10C; A23K001/14; A23K001/16G; A23K001/16L; A23K001/18; A23K001/18K; A23K001/18L2; A23K001/18N; A23K001/18S; A23L001/10M; A23L001/30C; B02B001/00; C08B030/10; C08L099/00; C11B001/04; C11B001/06
US 2003224496	ECLA	A23D009/00; A23D009/007; A23J001/14C2; A23K001/00B2; A23K001/04; A23K001/10; A23K001/10C; A23K001/14; A23K; A23K001/16L; A23K001/18; A23K001/18K; A23K001/18L2; A23K001/18N; A23K001/18S; A23L001/10M; A23L001/105; A23L001/30C; B02B001/00; C08B030/10; C08L099/00; C11B001/04; C11B001/06; C11B001/10; C11B003/00B; C12P

AB **Corn** oil and **corn** meal obtained from **corn** are included in useful products. The **corn** oil is extd. from the **corn** to form the **corn** meal. The **corn grain** process generally includes the steps of cracking **corn grain** having a total oil content of from about 3% to 30% by wt. and extg. the **corn** oil from the cracked **corn grain**. The **corn** oil is useful for making nutritionally enhanced edible oil or cooking oil, lubricants, biodiesel, fuel, cosmetics and oil-based or oil-contg. chem. products. The extd. **corn** meal is useful for making enhanced animal feed rations, snack food, blended food products, cosmetics, and fermn. broth additive.

ST **corn** meal oil manuf feed food fuel cosmetic

IT Fats and Glyceridic oils, biological studies

RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(animal; **corn** oil processing and products comprising
corn oil and **corn** meal obtained from **corn**)

IT Food
(bars; **corn** oil processing and products comprising
corn oil and **corn** meal obtained from **corn**)

IT **Diesel** fuel substitutes
(biodiesel; **corn** oil processing and products comprising
corn oil and **corn** meal obtained from **corn**)

IT *Oryza sativa*
(bran; **corn** oil processing and products comprising
corn oil and **corn** meal obtained from **corn**)

IT Bakery products
Triticum aestivum
(byproducts; **corn** oil processing and products comprising
corn oil and **corn** meal obtained from **corn**)

IT Solvent extraction
(continuous; **corn** oil processing and products comprising
corn oil and **corn** meal obtained from **corn**)

IT Food viscosity
(controls for; **corn** oil processing and products comprising
corn oil and **corn** meal obtained from **corn**)

IT Glutens
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)

STN Columbus

- (corn meal; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Acidity
 - Air
 - Antioxidants
 - Biodegradable materials
 - Bleaching
 - Bread
 - Breakfast cereal
 - Canola
 - Cottonseed
 - Crosslinking agents
 - Deodorization
 - Dietary fiber
 - Feed additives
 - Feeding experiment
 - Food additives
 - Food processing
 - Gallus domesticus
 - Glycine max
 - Helianthus annuus
 - Herb
 - Hordeum vulgare
 - Micelles
 - Nutrients
 - Pigments, biological
 - Rapeseed
 - Rapeseed
 - Solanum tuberosum
 - Sorghum bicolor
 - Spices
 - Thickening agents
 - Vinegar
 - Zea mays
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Aldehydes, biological studies
 - Anhydrides
 - Epoxides
 - RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Amino acids, biological studies
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Canola oil
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Carotenes, biological studies
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Enzymes, biological studies
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Fats and Glyceridic oils, biological studies
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)

STN Columbus

- (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Lipids, biological studies
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Mineral elements, biological studies
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Olive oil
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Palm oil
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Proteins
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Safflower oil
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Soybean oil
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Sterols
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Sunflower oil
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Tocopherols
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Vitamins
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Corn oil
 - RL: FFD (Food or feed use); IMF (Industrial manufacture); BIOL (Biological study); PREP (Preparation); USES (Uses)
 - (corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Flours and Meals
 - (corn; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Bos taurus
 - (dairy cattle; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Vitamins
 - RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (fat-sol.; corn oil processing and products comprising corn oil and corn meal obtained from corn)
- IT Flours and Meals

STN Columbus

- (feather meal; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Aquaculture
 - Bos taurus
 - Equus caballus
 - Poultry
 - Sus scrofa domestica
 - (feed for; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Catfish
 - Tilapia
 - (feeding; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Zea mays
 - (flour and meal; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Binders
 - (for food; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Oryza sativa
 - (hulls; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Beverages
 - (low calorie; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Feather
 - (meal; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Bone meal
 - Meat
 - (meat-and-bone meal; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Triticum aestivum
 - (middlings; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Cooking
 - (oils for; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Seed
 - (oilseed, meal; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Flours and Meals
 - (oilseed; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Fats and Glyceridic oils, biological studies
 - Fats and Glyceridic oils, biological studies
 - RL: BUU (Biological use, unclassified); FFD (Food or feed use); BIOL (Biological study); USES (Uses)
 - (partially hydrogenated; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Feed
 - (pet; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Food
 - (porridge; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Bran
 - (rice; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)
- IT Food

STN Columbus

(snack; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

IT Beverages
(sports; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

IT Fats and Glyceridic oils, biological studies
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(stearins, oxy-; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

IT Fuel oil
(substitutes; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

IT Feed
(swine; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

IT 7440-37-1, Argon, biological studies 7727-37-9, Nitrogen, biological studies
RL: BUU (Biological use, unclassified); FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(**corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

IT 56-87-1, L-Lysine, biological studies 63-68-3, L-Methionine, biological studies 64-17-5, Ethanol, biological studies 67-63-0, Isopropyl alcohol, biological studies 73-22-3, L-Tryptophan, biological studies 77-92-9, Citric acid, biological studies 77-92-9D, Citric acid, monoglyceride derivs. 110-54-3, Hexane, biological studies 121-79-9, Propyl gallate 123-28-4, Dilauryl thiodipropionate 128-37-0, BHT, biological studies 137-66-6, Ascorbyl palmitate 458-37-7, Curcumin 994-36-5, Sodium citrate 1107-26-2, β -Apo-8'-carotenal 6829-55-6, Tocotrienol 7235-40-7, β -Carotene 7647-14-5, Sodium chloride, biological studies 7664-38-2, Phosphoric acid, biological studies 9000-90-2, α -Amylase 9001-92-7, Protease 9005-25-8, Starch, biological studies 9016-00-6, Dimethyl polysiloxane 9032-08-0, Glucoamylase 25013-16-5, BHA 25395-66-8, Ascorbyl stearate 39413-05-3, Isopropyl citrate
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(**corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

IT 1393-63-1, Annatto
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(ext.; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

IT 124-38-9, Carbon dioxide, biological studies
RL: FFD (Food or feed use); BIOL (Biological study); USES (Uses)
(supercrit.; **corn** oil processing and products comprising **corn** oil and **corn** meal obtained from **corn**)

=> s triticales
1923 TRITICALE
126 TRITICALES
L9 1931 TRITICALE
(TRITICALE OR TRITICALES)

=> s 19 and corn
111199 CORN
345 CORNS
111319 CORN
(CORN OR CORNS)

L10 250 L9 AND CORN

=> s 110 and fuel

STN Columbus

340874 FUEL

154939 FUELS

389767 FUEL

(FUEL OR FUELS)

L11 2 L10 AND FUEL

=> d l11 ti

L11 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

TI Quality of solid biofuels - database and field trials

=> d l11 2 ti

L11 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

TI Protein byproduct recovery in **fuel** ethanol processing of agricultural materials

=> d l11 1 all

L11 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

Full Text

AN 1999:713328 CAPLUS

DN 132:24771

ED Entered STN: 09 Nov 1999

TI Quality of solid biofuels - database and field trials

AU Hartmann, H.; Maier, L.; Bohm, T.

CS Research Center of Agricultural Engineering, Munich University of Technology, Freising-Weiherstephan, D-85354, Germany

SO Biomass: A Growth Opportunity in Green Energy and Value-Added Products, Proceedings of the Biomass Conference of the Americas, 4th, Oakland, Calif., Aug. 29-Sept. 2, 1999 (1999), Volume 1, 273-279. Editor(s): Overend, Ralph P.; Chornet, Esteban. Publisher: Elsevier Science, Oxford, UK.

CODEN: 68IQAG

DT Conference

LA English

CC 52-1 (Electrochemical, Radiational, and Thermal Energy Technology)
Section cross-reference(s): 11, 40, 60

AB Quality aspects of solid biofuels were investigated in a new database. Most parameters varied greatly, particularly when annually harvested biomass was considered. For planning purposes the frequency distributions should be used rather than mean values. The quality of some crops may be changed by modified agricultural practices. Rainfall shortly after cutting can deplete chlorine and potassium in grass by 60 to 80%.

ST solid biofuel quality database field trial; **fuel** gas manufg solid biofuel

IT **Fuels**

(biofuels, solid; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)

IT Beech (Fagus)

Miscanthus

Spruce (Picea)

Wheat straw

(chlorine content of solid biofuel, from database)

IT Straw

Straw

(**corn**; chlorine content of solid biofuel, from database)

IT Bagasse

Bark

Compost

- Databases
- Grass (Poaceae)
- Hay
- Leaf
- Straw
 - (field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Fibers
 - RL: NUU (Other use, unclassified); USES (Uses)
 - (field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Mineral elements, occurrence
 - RL: OCU (Occurrence, unclassified); OCCU (Occurrence)
 - (frequency distribution, selected quality parameters, similar cereal straw types, from database)
- IT Wood
 - (natural, processed; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Leaf
 - (needle; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Calorific value
 - (net; frequency distribution, selected quality parameters, similar cereal straw types, from database)
- IT Flours and Meals
 - (oilseed cakes; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Seed
 - Seed
 - (oilseed, meal; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Flours and Meals
 - (oilseed; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Fruit
 - (pips; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Fermentation
 - (products, pomace; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Straw
 - Straw
 - (rape; chlorine content of solid biofuel, from database)
- IT Straw
 - Straw
 - (rye; chlorine content of solid biofuel, from database)
- IT Nut (seed)
 - (shells; field trials of solid biofuel quality and database of identity, age, origin, **fuel** characteristics, element and compd. content, testing methodol., related literature)
- IT Poplar (Populus)
- Willow (Salix)
 - (short rotation forestry; chlorine content of solid biofuel, from

STN Columbus

```

        database)
IT  Corn
    Corn
    Rape (plant)
    Rape (plant)
    Rye
    Rye
    Sunflower
    Sunflower
    Triticale
    Triticale
        (straw; chlorine content of solid biofuel, from database)
IT  Straw
    Straw
        (sunflower; chlorine content of solid biofuel, from database)
IT  Straw
    Straw
        (triticale; chlorine content of solid biofuel, from database)
IT  Rye
    Triticale
    Wheat
        (whole crop; chlorine content of solid biofuel, from database)
IT  7782-50-5, Chlorine, occurrence
    RL: OCU (Occurrence, unclassified); OCCU (Occurrence)
        (chlorine content, solid biofuels)
IT  7704-34-9, Sulfur, occurrence
    RL: OCU (Occurrence, unclassified); OCCU (Occurrence)
        (effect of harvesting date and field retention time, selected quality
        parameters in grass, from database)
IT  7440-09-7, Potassium, occurrence  7727-37-9, Nitrogen, occurrence
    RL: OCU (Occurrence, unclassified); OCCU (Occurrence)
        (frequency distribution, selected quality parameters, similar cereal
        straw types, from database)

```

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
138.86	139.07

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-5.60	-5.60

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 17:18:30 ON 29 OCT 2004